


BARREAUX CARBURE

BARRE CILINDRICHE IN METALLO DURO




BARREAUX CARBURE Type
BARRE IN METALLO DURO Tipo

WKR



Barreaux carbure cylindriques, frittés, avec 2 trous d'arrosage hélicoïdale
Barre piene in metallo duro con 2 fori elicoidali di lubrorefrigerazione



N° de commande Codice prodotto	Description Descrizione	D	d _i	L	d _T	P _a	P	HK1F	HK6F
WKR06333025071	Ø 6,3 x 330 x 2KK	6,3	0,7	330	2,5	15°	70,35	▲	
WKR08333035131	Ø 8,3 x 330 x 2KK	8,3	1,3		3,5		93,80	▲	
WKR10333050151	Ø 10,3 x 330 x 2KK	10,3	1,5		5,0		117,25	▲	
WKR12333062161	Ø 12,3 x 330 x 2KK	12,3	1,6		6,2		140,70	▲	
WKR14333070201	Ø 14,3 x 330 x 2KK	14,3	2,0		7,0		164,14	▲	
WKR16333080201	Ø 16,3 x 330 x 2KK	16,3	2,0		8,0		187,59	▲	
WKR18333090221	Ø 18,3 x 330 x 2KK	18,3	2,2		9,0		211,04	▲	
WKR20333010251	Ø 20,3 x 330 x 2KK	20,3	2,5		10,0		234,49	▲	

▲ en stock / a stock Δ 4 semaines / consegna 4 settimane

● Premier choix / raccomandato

○ Choix alternatif / alternativa

■ Nuance non revêtue / non rivestito

■ Nuance revêtue / rivestito

■ brasé/Cermet / saldobrasato/Cermet

P	●	
M	○	
K	●	
N	●	
S	○	
H		

Nuance
Leghe

Dimensions en mm
Dimensioni in mm


BARREAUX CARBURE

BARRE CILINDRICHE IN METALLO DURO




BARREAUX CARBURE Type
BARRE IN METALLO DURO Tipo

WKR



Barreaux carbure cylindriques, frittés, avec 2 trous d'arrosage hélicoïdale
Barre piene in metallo duro con 2 fori elicoidali di lubrorefrigerazione



N° de commande Codice prodotto	Description Descrizione	D	d _i	L	d _T	P _a	P	HK1F	HK6F
WKR03333015043	Ø 3,3 x 330 x 2KK	3,3	0,4		1,5		16,32	▲	
WKR04333021053	Ø 4,3 x 330 x 2KK	4,3	0,5		2,1		21,77	▲	
WKR05333026073	Ø 5,3 x 330 x 2KK	5,3	0,7		2,6		27,21	▲	
WKR06333019063	Ø 6,3 x 330 x 2KK	6,3	0,6		1,9		32,65	▲	
WKR06333022083	Ø 6,3 x 330 x 2KK	6,3	0,8		2,2		32,65	▲	
WKR06333026073	Ø 6,3 x 330 x 2KK	6,3	0,7		2,6		32,65	▲	
WKR06833035103	Ø 6,8 x 330 x 2KK	6,8	1,0		3,5		35,37	▲	
WKR08333040103	Ø 8,3 x 330 x 2KK	8,3	1,0		4,0		43,53	▲	
WKR10333048143	Ø 10,3 x 330 x 2KK	10,3	1,4		4,8		54,41	▲	
WKR12333054153	Ø 12,3 x 330 x 2KK	12,3	1,5		5,4		65,30	▲	
WKR12333059173	Ø 12,3 x 330 x 2KK	12,3	1,7	330	5,9	30°	65,30	▲	
WKR13333065173	Ø 13,3 x 330 x 2KK	13,3	1,7		6,5		70,74	▲	
WKR14333071173	Ø 14,3 x 330 x 2KK	14,3	1,7		7,1		76,18	▲	
WKR14333071203	Ø 14,3 x 330 x 2KK	14,3	2,0		7,1		76,18	▲	
WKR15333077173	Ø 15,3 x 330 x 2KK	15,3	1,7		7,7		81,62	▲	
WKR16333083173	Ø 16,3 x 330 x 2KK	16,3	1,7		8,3		87,06	▲	
WKR16333086253	Ø 16,3 x 330 x 2KK	16,3	2,5		8,6		87,06	▲	
WKR18333095203	Ø 18,3 x 330 x 2KK	18,3	2,0		9,5		97,95	▲	
WKR18333097283	Ø 18,3 x 330 x 2KK	18,3	2,8		9,7		97,95	▲	
WKR19333010253	Ø 19,3 x 330 x 2KK	19,3	2,5		10,1		103,39	▲	
WKR20333010323	Ø 20,3 x 330 x 2KK	20,3	3,2		10,7		108,83	▲	

▲ en stock / a stock Δ 4 semaines / consegna 4 settimane

● Premier choix / raccomandato

○ Choix alternatif / alternativa

■ Nuance non revêtue / non rivestito

■ Nuance revêtue / rivestito

■ brasé/Cermet / saldobrasato/Cermet

P	●	Blue
M	○	Yellow
K	●	Red
N	●	Green
S	○	Orange
H		Grey

Dimensions en mm
Dimensioni in mm

Nuance
Leghe


BARREAUX CARBURE

BARRE CILINDRICHES IN METALLO DURO



BARREAUX CARBURE Type
BARRE IN METALLO DURO Tipo

WKR



Barreaux carbure cylindriques, frittés, avec 2 trous d'arrosage hélicoïdale
Barre piene in metallo duro con 2 fori elicoidali di lubrorefrigerazione



N° de commande Codice prodotto	Description Descrizione	D	d _i	L	d _T	P _a	P	HK1F	HK6F
WKR06333016054	Ø 6,3 x 330 x 2KK	6,3	0,5	330	1,6	40°	22,46	▲	
WKR06333020054	Ø 6,3 x 330 x 2KK	6,3	0,5		2,0		22,46	▲	
WKR06333021064	Ø 6,3 x 330 x 2KK	6,3	0,6		2,1		22,46	▲	
WKR06833022054	Ø 6,8 x 330 x 2KK	6,8	0,5		2,2		24,34	▲	
WKR07333024064	Ø 7,3 x 330 x 2KK	7,3	0,6		2,4		26,21	▲	
WKR08333027064	Ø 8,3 x 330 x 2KK	8,3	0,6		2,7		29,95	▲	
WKR08333035094	Ø 8,3 x 330 x 2KK	8,3	0,9		3,5		35,00	▲	
WKR09333032074	Ø 9,3 x 330 x 2KK	9,3	0,7		3,2		33,70	▲	
WKR10333025084	Ø 10,3 x 330 x 2KK	10,3	0,8		3,5		37,44	▲	
WKR10333027084	Ø 10,3 x 330 x 2KK	10,3	0,8		2,7		37,44	▲	
WKR10333045114	Ø 10,3 x 330 x 2KK	10,3	1,1		4,5		46,00	▲	
WKR12333042094	Ø 12,3 x 330 x 2KK	12,3	0,9		4,2		44,93	▲	
WKR12333057144	Ø 12,3 x 330 x 2KK	12,3	1,4		5,7		57,00	▲	
WKR13333044094	Ø 13,3 x 330 x 2KK	13,3	0,9		4,4		48,67	▲	
WKR14333047104	Ø 14,3 x 330 x 2KK	14,3	1,0		4,7		52,42	▲	
WKR15333051114	Ø 15,3 x 330 x 2KK	15,3	1,1		5,1		56,16	▲	
WKR16333055124	Ø 16,3 x 330 x 2KK	16,3	1,2		5,5		59,90	▲	
WKR18333063154	Ø 18,3 x 330 x 2KK	18,3	1,5		6,3		67,39	▲	
WKR20333071154	Ø 20,3 x 330 x 2KK	20,3	1,5		7,1		74,88	▲	

▲ en stock / a stock Δ 4 semaines / consegna 4 settimane

● Premier choix / raccomandato

○ Choix alternatif / alternativa

■ Nuance non revêtue / non rivestito

■ Nuance revêtue / rivestito

■ brasé/Cermet / saldobrasato/Cermet

P	•	Blue
M	○	Yellow
K	•	Red
N	•	Green
S	○	Orange
H		Grey

Dimensions en mm

Dimensioni in mm

Nuance
Leghe


BARREAUX CARBURE

BARRE CILINDRICHE IN METALLO DURO



BARREAUX CARBURE Type **WKG**

BARRE IN METALLO DURO Tipo



Barreaux carbure cylindriques, rectifiés h6, avec 2 trous d'arrosage hélicoïdale
 Barre piene in metallo duro con 2 fori elicoidali di lubrorefrigerazione; rettificati con tolleranza h6



N° de commande Codice prodotto	Description Descrizione	D	d _i	L	d _T	P _a	P	HK1F	HK6F
WKG06033025071	Ø 6,0h6 x 330 x 2KK	6	0,7	330	2,5	15°	70,35	▲	
WKG08033035131	Ø 8,0h6 x 330 x 2KK	8	1,3		3,5		93,80	▲	
WKG10033050151	Ø 10,0h6 x 330 x 2KK	10	1,5		5,0		117,25	▲	
WKG12033062161	Ø 12,0h6 x 330 x 2KK	12	1,6		6,2		140,70	▲	
WKG14033070201	Ø 14,0h6 x 330 x 2KK	14	2,0		7,0		164,14	▲	
WKG16033080201	Ø 16,0h6 x 330 x 2KK	16	2,0		8,0		187,59	▲	
WKG18033090221	Ø 18,0h6 x 330 x 2KK	18	2,2		9,0		211,04	▲	
WKG20033010251	Ø 20,0h6 x 330 x 2KK	20	2,5		10,0		234,49	▲	

▲ en stock / a stock Δ 4 semaines / consegna 4 settimane

● Premier choix / raccomandato

○ Choix alternatif / alternativa

■ Nuance non revêtue / non rivestito

■ Nuance revêtue / rivestito

■ brasé/Cermet / saldobrasato/Cermet

P	●	
M	○	
K	●	
N	●	
S	○	
H		

Dimensions en mm

Dimensioni in mm

Nuance
Leghe

BARREAUX CARBURE


BARRE CILINDRICHE IN METALLO DURO



BARREAUX CARBURE Type **WKG**

BARRE IN METALLO DURO Tipo

Barreaux carbure cylindriques, rectifiés h6, avec 2 trous d'arrosage hélicoïdale
 Barre piene in metallo duro con 2 fori elicoidali di lubrorefrigerazione; rettificati con tolleranza h6



N° de commande Codice prodotto	Description Descrizione	D	d _i	L	d _T	P _a	P	HK1F	HK6F
WKG03033015043	Ø 3,0h6 x 330 x 2KK	3,0	0,4		1,5		16,32	▲	
WKG04033021053	Ø 4,0h6 x 330 x 2KK	4,0	0,5		2,1		21,77	▲	
WKG05033026073	Ø 5,0h6 x 330 x 2KK	5,0	0,7		2,6		27,21	▲	
WKG06033019063	Ø 6,0h6 x 330 x 2KK	6,0	0,6		1,9		32,65	▲	
WKG06033022083	Ø 6,0h6 x 330 x 2KK	6,0	0,8		2,2		32,65	▲	
WKG06033026073	Ø 6,0h6 x 330 x 2KK	6,0	0,7		2,6		32,65	▲	
WKG06533035103	Ø 6,5h6 x 330 x 2KK	6,5	1,0		3,5		35,37	▲	
WKG08033040103	Ø 8,0h6 x 330 x 2KK	8,0	1,0		4,0		43,53	▲	
WKG10033048143	Ø 10,0h6 x 330 x 2KK	10,0	1,4		4,8		54,41	▲	
WKG12033054153	Ø 12,0h6 x 330 x 2KK	12,0	1,5		5,4		65,30	▲	
WKG12033059173	Ø 12,0h6 x 330 x 2KK	12,0	1,7	330	5,9	30°	65,30	▲	
WKG13033065173	Ø 13,0h6 x 330 x 2KK	13,0	1,7		6,5		70,74	▲	
WKG14033071173	Ø 14,0h6 x 330 x 2KK	14,0	1,7		7,1		76,18	▲	
WKG14033071203	Ø 14,0h6 x 330 x 2KK	14,0	2,0		7,1		76,18	▲	
WKG15033077173	Ø 15,0h6 x 330 x 2KK	15,0	1,7		7,7		81,62	▲	
WKG16033083173	Ø 16,0h6 x 330 x 2KK	16,0	1,7		8,3		87,06	▲	
WKG16033086253	Ø 16,0h6 x 330 x 2KK	16,0	2,5		8,6		87,06	▲	
WKG18033095203	Ø 18,0h6 x 330 x 2KK	18,0	2,0		9,5		97,95	▲	
WKG18033097283	Ø 18,0h6 x 330 x 2KK	18,0	2,8		9,7		97,95	▲	
WKG19033010253	Ø 19,0h6 x 330 x 2KK	19,0	2,5		10,1		103,39	▲	
WKG20033010283	Ø 20,0h6 x 330 x 2KK	20,0	2,8		10,4		108,83	▲	

▲ en stock / a stock Δ 4 semaines / consegna 4 settimane

● Premier choix / raccomandato

○ Choix alternatif / alternativa

■ Nuance non revêtue / non rivestito

■ Nuance revêtue / rivestito

■ brasé/Cermet / saldobrasato/Cermet

P	●	Blue
M	○	Yellow
K	●	Red
N	●	Green
S	○	Orange
H		Grey

Dimensions en mm

Dimensioni in mm

Nuance

Leghe

BARREAUX CARBURE



BARRE CILINDRICHE IN METALLO DURO



BARREAUX CARBURE Type **WKG**

BARRE IN METALLO DURO Tipo

Barreaux carbure cylindriques, rectifiés h6, avec 2 trous d'arrosage hélicoïdale
 Barre piene in metallo duro con 2 fori elicoidali di lubrorefrigerazione; rettificati con tolleranza h6



N° de commande Codice prodotto	Description Descrizione	D	d _i	L	d _T	P _a	P	HK1F	HK6F
WKG06033016054	Ø 6,0h6 x 330 x 2KK	6,0	0,5	330	1,6	40°	22,46	▲	
WKG06033020054	Ø 6,0h6 x 330 x 2KK	6,0	0,5		2,0		22,46	△	
WKG06033021064	Ø 6,0h6 x 330 x 2KK	6,0	0,6		2,1		22,46	▲	
WKG06533022054	Ø 6,5h6 x 330 x 2KK	6,5	0,5		2,2		24,34	▲	
WKG07033024064	Ø 7,0h6 x 330 x 2KK	7,0	0,6		2,4		26,21	▲	
WKG08033027064	Ø 8,0h6 x 330 x 2KK	8,0	0,6		2,7		29,95	▲	
WKG08033035094	Ø 8,0h6 x 330 x 2KK	8,0	0,9		3,5		35,00	▲	
WKG09033032074	Ø 8,0h6 x 330 x 2KK	8,0	0,7		3,2		33,70	▲	
WKG10033025084	Ø 10,0h6 x 330 x 2KK	10,0	0,8		3,5		37,44	▲	
WKG10033027084	Ø 10,0h6 x 330 x 2KK	10,0	0,8		2,7		37,44	▲	
WKG10033045114	Ø 10,0h6 x 330 x 2KK	10,0	1,1		4,5		46,00	▲	
WKG12033042094	Ø 12,0h6 x 330 x 2KK	12,0	0,9		4,2		44,93	▲	
WKG12033057144	Ø 12,0h6 x 330 x 2KK	12,0	1,4		5,7		57,00	▲	
WKG13033044094	Ø 13,0h6 x 330 x 2KK	13,0	0,9		4,4		48,67	▲	
WKG14033047104	Ø 14,0h6 x 330 x 2KK	14,0	1,0		4,7		52,42	▲	
WKG15033051114	Ø 15,0h6 x 330 x 2KK	15,0	1,1		5,1		56,16	▲	
WKG16033055124	Ø 16,0h6 x 330 x 2KK	16,0	1,2		5,5		59,90	▲	
WKG18033063154	Ø 18,0h6 x 330 x 2KK	18,0	1,5		6,3		67,39	▲	
WKG20033071154	Ø 20,0h6 x 330 x 2KK	20,0	1,5		7,1		74,88	▲	

- ▲ en stock / a stock △ 4 semaines / consegna 4 settimane
- Premier choix / raccomandato
- Choix alternatif / alternativa
- Nuance non revêtue / non rivestito
- Nuance revêtue / rivestito
- brasé/Cermet / saldobrasato/Cermet

P	●	Blue
M	○	Yellow
K	●	Red
N	●	Green
S	○	Orange
H		Grey

Dimensions en mm
 Dimensioni in mm

Nuance
 Leghe