


GERC16

1-10 mm

ACCESSORI PER MANDRINI



MPC16 | DPC16

Pinze di serraggio di alta precisione 2 µm




GERC16-HP Ø 1-10 mm

Standard



GERC16-HPD Ø 3-10 mm

A tenuta refrigerante



□ =
D =
L =

2 µm
17
27,5

□ =
D =
L =

2 µm
17
27,5

Ø mm	Cod. art.	Ø mm	Cod. art.	Ø mm	Cod. art.	Ø pollice	Cod. art.
1,0	13613010100	4,5	13613010450	3,0	13623010300	1/8"	13623040318
1,1	13613010110	5,0	13613010500	4,0	13623010400	5/32"	13623040397
1,2	13613010120	5,5	13613010550	5,0	13623010500	3/16"	13623040476
1,3	13613010130	5,6	13613010560	6,0	13623010600	7/32"	13623040556
1,4	13613010140	6,0	13613010600	7,0	13623010700	1/4"	13623040635
1,5	13613010150	6,3	13613010630	8,0	13623010800	9/32"	13623040714
1,6	13613010160	6,5	13613010650	9,0	13623010900	5/16"	13623040794
1,7	13613010170	7,0	13613010700	10,0	13623011000	11/32"	13623040873
1,8	13613010180	7,1	13613010710			3/8"	13623040953
1,9	13613010190	7,5	13613010750			13/32"	13623041032
2,0	13613010200	8,0	13613010800				
2,1	13613010210	8,5	13613010850				
2,2	13613010220	9,0	13613010900				
2,3	13613010230	9,5	13613010950				
2,4	13613010240	10,0	13613011000				
2,5	13613010250						
2,6	13613010260						
2,7	13613010270	Ø pollice	Cod. art.				
2,8	13613010280	1/16"	13613040159				
2,9	13613010290	3/32"	13613040238				
3,0	13613010300	1/8"	13613040318				
3,1	13613010310	5/32"	13613040397				
3,2	13613010320	3/16"	13613040476				
3,3	13613010330	7/32"	13613040556				
3,4	13613010340	1/4"	13613040635				
3,5	13613010350	9/32"	13613040714				
3,6	13613010360	5/16"	13613040794				
3,7	13613010370	11/32"	13613040873				
3,8	13613010380	3/8"	13613040953				
4,0	13613010400						


GERC16-HP Set

Contenuto set (Ø mm)	Cod. art.	Set
3,0•4,0•5,0•6,0•8,0•10,0	13613160060	6pezzi

GERC16-HPD Set


Contenuto set (Ø mm)	Cod. art.	Set
3,0•4,0•5,0•6,0•8,0•10,0	13623160060	6pezzi

Pinze di serraggio di alta precisione 2 µm



GERC16-HPDD Ø 3-10 mm

A tenuta refrigerante e fori



□ =	2 µm		
D =	17		
L =	27,5		
Ø mm	Cod. art.	Ø pollice	Cod. art.
3,0	13633010300	1/8"	13633040318
4,0	13633010400	3/16"	13633040476
6,0	13633010600	1/4"	13633040635
8,0	13633010800	5/16"	13633040794
10,0	13633011000	3/8"	13633040953


GERC16

1-10 mm

ACCESSORI PER MANDRINI


MPC16 | DPC16

Pinze di serraggio di precisione 5 µm





GERC16-B Ø 1-10 mm

Standard



GERC16-BD Ø 3-10 mm

A tenuta refrigerante



□ =
D =
L =

5 µm
17
27,5

□ =
D =
L =

5 µm
17
27,5

Ø mm	Cod. art.	Ø pollice	Cod. art.	Ø mm	Cod. art.	Ø pollice	Cod. art.
1,0	13713010100	1/16"	13713040159	3,0	13723010300	1/8"	13723040318
1,5	13713010150	3/32"	13713040238	4,0	13723010400	3/16"	13723040476
2,0	13713010200	1/8"	13713040318	5,0	13723010500	1/4"	13723040635
2,5	13713010250	5/32"	13713040397	6,0	13723010600	5/16"	13723040794
3,0	13713010300	3/16"	13713040476	7,0	13723010700	3/8"	13723040953
3,5	13713010350	7/32"	13713040556	8,0	13723010800		
4,0	13713010400	1/4"	13713040635	9,0	13723010900		
4,5	13713010450	9/32"	13713040714	10,0	13723011000		
5,0	13713010500	5/16"	13713040794				
5,5	13713010550	11/32"	13713040873				
6,0	13713010600	3/8"	13713040953				
6,5	13713010650	13/32"	13713041032				
7,0	13713010700						
7,5	13713010750						
8,0	13713010800						
8,5	13713010850						
9,0	13713010900						
9,5	13713010950						
10,0	13713011000						

GERC16-B Set

Contenuto set (Ø mm)	Cod. art.	Set
1,0-10,0/ 1,0 in aumento	1371316	10pezzi


GERC16-BD Set

Contenuto set (Ø mm)	Cod. art.	Set
3,0•4,0•5,0•6,0•8,0•10,0	13723160060	6pezzi

ACCESSORI PER MANDRINI MPC16 | DPC16


GERC16
1-10 mm

Pinze di serraggio portamaschi 10 µm





GERC16-GBD Ø 2,8-9 mm

A tenuta refrigerante



GERC16-GBDD Ø 3,5-9 mm

A tenuta refrigerante e fori




☐ =	10 µm		☐ =	10 µm	
D =	17		D =	17	
L =	27,5		L =	27,5	
Ø/□ mm	L2	Cod. art.	Ø/□ mm	L2	Cod. art.
2,8/2,1	18	13823010280	3,5/2,7	18	13833010350
3,5/2,7	18	13823010350	4,5/3,55	18	13833010450
4,0/3,2	18	13823010400	6,0/5,0	18	13833010600
4,5/3,55	18	13823010450	7,0/5,6	18	13833010700
5,0/4,0	18	13823010500	8,0/6,3	22	13833010800
5,5/4,5	18	13823010550	9,0/7,1	22	13833010900
6,0/5,0	18	13823010600			
6,3/5,0	18	13823010630			
7,0/5,6	18	13823010700			
7,1/5,6	18	13823010710			
8,0/6,3	22	13823010800			
9,0/7,1	22	13823010900			

GERC20 1-13 mm



ACCESSORI PER MANDRINI DPC20

Pinze di serraggio di alta precisione 2 µm




GERC20-HP Ø 1-13 mm

Standard



GERC20-HPD Ø 3-12 mm

A tenuta refrigerante



□ =
D =
L =

2 µm
21
31,5

□ =
D =
L =

2 µm
21
31,5

Ø mm	Cod. art.	Ø mm	Cod. art.	Ø mm	Cod. art.	Ø pollice	Cod. art.
1,0	13614010100	10,0	13614011000	3,0	13624010300	1/8"	13624040318
1,5	13614010150	10,5	13614011050	4,0	13624010400	3/16"	13624040476
2,0	13614010200	11,0	13614011100	5,0	13624010500	1/4"	13624040635
2,5	13614010250	11,5	13614011150	6,0	13624010600	5/16"	13624040794
3,0	13614010300	12,0	13614011200	7,0	13624010700	3/8"	13624040953
3,5	13614010350	12,5	13614011250	8,0	13624010800	7/16"	13624041111
4,0	13614010400	13,0	13614011300	9,0	13624010900	1/2"	13624041270
4,5	13614010450			10,0	13624011000		
5,0	13614010500			11,0	13624011100		
5,5	13614010550	Ø pollice	Cod. art.	12,0	13624011200		
6,0	13614010600	1/8"	13614040318				
6,5	13614010650	3/16"	13614040476				
7,0	13614010700	1/4"	13614040635				
7,5	13614010750	5/16"	13614040794				
8,0	13614010800	3/8"	13614040953				
8,5	13614010850	7/16"	13614041111				
9,0	13614010900	1/2"	13614041270				
9,5	13614010950						

GERC20-HP Set

Contenuto set (Ø mm)	Cod. art.	Set
3,0•4,0•5,0•6,0•8,0•10,0•12,0	13614160070	7pezzi


GERC20-HPD Set

Contenuto set (Ø mm)	Cod. art.	Set
3,0•4,0•5,0•6,0•8,0•10,0•12,0	13624160070	7pezzi

ACCESSORI PER MANDRINI DPC20


GERC20
1-13 mm

Pinze di serraggio di alta precisione 2 µm



GERC20-HPDD Ø 4-12 mm

A tenuta refrigerante e fori




□ =		2 µm	
D =		21	
L =		31,5	
Ø mm	Cod. art.	Ø pollice	Cod. art.
4,0	13634010400	1/8"	13634040318
6,0	13634010600	3/16"	13634040476
8,0	13634010800	1/4"	13634040635
10,0	13634011000	5/16"	13634040794
12,0	13634011200	3/8"	13634040953
		7/16"	13634041111
		1/2"	13634041270

GERC

GERC20 1-13 mm


ACCESSORI PER MANDRINI DPC20

Pinze di serraggio di precisione 5 µm





GERC20-B Ø 1-13 mm

Standard



GERC20-BD Ø 3-12 mm

A tenuta refrigerante



☐ =
D =
L =

5 µm
21
31,5

☐ =
D =
L =

5 µm
21
31,5

Ø mm	Cod. art.	Ø mm	Cod. art.	Ø mm	Cod. art.	Ø pollice	Cod. art.
1,0	13714010100	10,0	13714011000	3,0	13724010300	1/8"	13724040318
1,5	13714010150	10,5	13714011050	4,0	13724010400	3/16"	13724040476
2,0	13714010200	11,0	13714011100	5,0	13724010500	1/4"	13724040635
2,5	13714010250	11,5	13714011150	6,0	13724010600	5/16"	13724040794
3,0	13714010300	12,0	13714011200	7,0	13724010700	3/8"	13724040953
3,5	13714010350	12,5	13714011250	8,0	13724010800	7/16"	13724041111
4,0	13714010400	13,0	13714011300	9,0	13724010900	1/2"	13724041270
4,5	13714010450			10,0	13724011000		
5,0	13714010500			11,0	13724011100		
5,5	13714010550	Ø pollice	Cod. art.	12,0	13724011200		
6,0	13714010600	1/8"	13714040318				
6,5	13714010650	3/16"	13714040476				
7,0	13714010700	1/4"	13714040635				
7,5	13714010750	5/16"	13714040794				
8,0	13714010800	3/8"	13714040953				
8,5	13714010850	7/16"	13714041111				
9,0	13714010900	1/2"	13714041270				
9,5	13714010950						

GERC20-B Set

Contenuto set (Ø mm)	Cod. art.	Set
2,0-13,0/ 1,0 in aumento	1371416	12pezzi


GERC20-BD Set

Contenuto set (Ø mm)	Cod. art.	Set
3,0•4,0•5,0•6,0•8,0•10,0•12,0	13724160070	7pezzi

ACCESSORI PER MANDRINI DPC20


GERC20
1-13 mm

Pinze di serraggio portamaschi 10 µm





GERC20-GBD Ø 3,5-12 mm

A tenuta refrigerante



GERC20-GBDD Ø 4,5-12 mm

A tenuta refrigerante e fori




☐ =	10 µm		☐ =	10 µm	
D =	21		D =	21	
L =	31,5		L =	31,5	
Ø/□ mm	L2	Cod. art.	Ø/□ mm	L2	Cod. art.
3,5/2,7	18	13824010350	4,5/3,55	18	13834010450
4,0/3,2	18	13824010400	6,0/5,0	18	13834010600
4,5/3,55	18	13824010450	7,0/5,6	18	13834010700
5,0/4,0	18	13824010500	8,0/6,3	22	13834010800
5,5/4,5	18	13824010550	9,0/7,1	22	13834010900
6,0/5,0	18	13824010600	10,0/8,0	25	13834011000
6,3/5,0	18	13824010630	11,0/9,0	25	13834011100
7,0/5,6	18	13824010700	12,0/9,0	25	13834011200
7,1/5,6	18	13824010710			
8,0/6,3	22	13824010800			
9,0/7,1	22	13824010900			
10,0/8,0	25	13824011000			
11,0/9,0	25	13824011100			
11,2/9,0	25	13824011120			
12,0/9,0	25	13824011200			

GERC25 1-16 mm



ACCESSORI PER MANDRINI DPC25 | AFC25

Pinze di serraggio di alta precisione 2 µm




GERC25-HP Ø 1-16 mm

Standard



GERC25-HPD Ø 3-16 mm

A tenuta refrigerante



□ =
D =
L =

2 µm
26
34

□ =
D =
L =

2 µm
26
34

Ø mm	Cod. art.	Ø mm	Cod. art.	Ø mm	Cod. art.	Ø pollice	Cod. art.
1,0	13615010100	12,0	13615011200	3,0	13625010300	1/8"	13625040318
1,5	13615010150	12,5	13615011250	4,0	13625010400	3/16"	13625040476
2,0	13615010200	13,0	13615011300	5,0	13625010500	1/4"	13625040635
2,5	13615010250	13,5	13615011350	6,0	13625010600	5/16"	13625040794
3,0	13615010300	14,0	13615011400	7,0	13625010700	3/8"	13625040953
3,5	13615010350	14,5	13615011450	8,0	13625010800	7/16"	13625041111
4,0	13615010400	15,0	13615011500	9,0	13625010900	1/2"	13625041270
4,5	13615010450	15,5	13615011550	10,0	13625011000	9/16"	13625041429
5,0	13615010500	16,0	13615011600	11,0	13625011100	5/8"	13625041588
5,5	13615010550			12,0	13625011200		
6,0	13615010600			13,0	13625011300		
6,5	13615010650	Ø pollice	Cod. art.	14,0	13625011400		
7,0	13615010700	1/8"	13615040318	15,0	13625011500		
7,5	13615010750	3/16"	13615040476	16,0	13625011600		
8,0	13615010800	1/4"	13615040635				
8,5	13615010850	5/16"	13615040794				
9,0	13615010900	3/8"	13615040953				
9,5	13615010950	7/16"	13615041111				
10,0	13615011000	1/2"	13615041270				
10,5	13615011050	9/16"	13615041429				
11,0	13615011100	5/8"	13615041588				
11,5	13615011150						

GERC25-HP Set

Contenuto set (Ø mm)	Cod. art.	Set
4,0•6,0•8,0•10,0•12,0•14,0•16,0	13615160070	7pezzi

GERC25-HPD Set


Contenuto set (Ø mm)	Cod. art.	Set
4,0•6,0•8,0•10,0•12,0•14,0•16,0	13625160070	7pezzi

ACCESSORI PER MANDRINI

DPC25 | AFC25


GERC25
1-16 mm

Pinze di serraggio di alta precisione 2 µm



GERC25-HPDD Ø 4-16 mm

A tenuta refrigerante e fori




☐ =		2 µm	
D =		26	
L =		34	
Ø mm	Cod. art.	Ø pollice	Cod. art.
4,0	13635010400	1/8"	13635040318
6,0	13635010600	3/16"	13635040476
8,0	13635010800	1/4"	13635040635
10,0	13635011000	5/16"	13635040794
12,0	13635011200	3/8"	13635040953
14,0	13635011400	7/16"	13635041111
16,0	13635011600	1/2"	13635041270
		9/16"	13635041429
		5/8"	13635041588

GERC

GERC25 1-16 mm



ACCESSORI PER MANDRINI DPC25

Pinze di serraggio di precisione 5 µm




GERC25-B Ø 1-16 mm

Standard



GERC25-BD Ø 3-16 mm

A tenuta refrigerante



□ =
D =
L =

5 µm
26
34

□ =
D =
L =

5 µm
26
34

Ø mm	Cod. art.	Ø mm	Cod. art.	Ø mm	Cod. art.	Ø pollice	Cod. art.
1,0	13715010100	12,0	13715011200	3,0	13725010300	1/8"	13725040318
1,5	13715010150	12,5	13715011250	4,0	13725010400	3/16"	13725040476
2,0	13715010200	13,0	13715011300	5,0	13725010500	1/4"	13725040635
2,5	13715010250	13,5	13715011350	6,0	13725010600	5/16"	13725040794
3,0	13715010300	14,0	13715011400	7,0	13725010700	3/8"	13725040953
3,5	13715010350	14,5	13715011450	8,0	13725010800	7/16"	13725041111
4,0	13715010400	15,0	13715011500	9,0	13725010900	1/2"	13725041270
4,5	13715010450	15,5	13715011550	10,0	13725011000	9/16"	13725041429
5,0	13715010500	16,0	13715011600	11,0	13725011100	5/8"	13725041588
5,5	13715010550			12,0	13725011200		
6,0	13715010600			13,0	13725011300		
6,5	13715010650	Ø pollice	Cod. art.	14,0	13725011400		
7,0	13715010700	1/8"	13715040318	15,0	13725011500		
7,5	13715010750	3/16"	13715040476	16,0	13725011600		
8,0	13715010800	1/4"	13715040635				
8,5	13715010850	5/16"	13715040794				
9,0	13715010900	3/8"	13715040953				
9,5	13715010950	7/16"	13715041111				
10,0	13715011000	1/2"	13715041270				
10,5	13715011050	9/16"	13715041429				
11,0	13715011100	5/8"	13715041588				
11,5	13715011150						

GERC25-B Set

Contenuto set (Ø mm)	Cod. art.	Set
2,0-16,0/ 1,0 in aumento	1371516	15pezzi


GERC25-BD Set

Contenuto set (Ø mm)	Cod. art.	Set
4,0•6,0•8,0•10,0•12,0•14,0•16,0	13725160070	7pezzi

ACCESSORI PER MANDRINI DPC25


GERC25
1-16 mm

Pinze di serraggio portamaschi 10 µm





GERC25-GBD Ø 3,5-16 mm

A tenuta refrigerante



GERC25-GBDD Ø 4,5-16 mm

A tenuta refrigerante e fori



☐ = D = L =	10 μm 26 34		☐ = D = L =	10 μm 26 34	
Ø/□ mm	L2	Cod. art.	Ø/□ mm	L2	Cod. art.
3,5/2,7	18	13825010350	4,5/3,55	18	13835010450
4,0/3,2	18	13825010400	6,0/5,0	18	13835010600
4,5/3,55	18	13825010450	7,0/5,6	18	13835010700
5,0/4,0	18	13825010500	8,0/6,3	22	13835010800
5,5/4,5	18	13825010550	9,0/7,1	22	13835010900
6,0/5,0	18	13825010600	10,0/8,0	25	13835011000
6,3/5,0	18	13825010630	11,0/9,0	25	13835011100
7,0/5,6	18	13825010700	12,0/9,0	25	13835011200
7,1/5,6	18	13825010710	14,0/11,2	25	13835011400
8,0/6,3	22	13825010800	16,0/12,5	25	13835011600
9,0/7,1	22	13825010900			
10,0/8,0	25	13825011000			
11,0/9,0	25	13825011100			
11,2/9,0	25	13825011120			
12,0/9,0	25	13825011200			
12,5/10,0	25	13825011250			
14,0/11,2	25	13825011400			
16,0/12,5	25	13825011600			


GERC32

2-20 mm

ACCESSORI PER MANDRINI



DPC32 | UPC32 | FPC32 | AFC32

Pinze di serraggio di alta precisione 2 µm




GERC32-HP Ø 2-20 mm

Standard



GERC32-HPD Ø 3-20 mm

A tenuta refrigerante



□ =
D =
L =

2 µm
33
40

□ =
D =
L =

2 µm
33
40

Ø mm	Cod. art.	Ø mm	Cod. art.	Ø mm	Cod. art.	Ø pollice	Cod. art.
2,0	13616010200	15,0	13616011500	3,0	13626010300	1/8"	13626040318
2,5	13616010250	15,5	13616011550	4,0	13626010400	3/16"	13626040476
3,0	13616010300	16,0	13616011600	5,0	13626010500	1/4"	13626040635
3,5	13616010350	16,5	13616011650	6,0	13626010600	5/16"	13626040794
4,0	13616010400	17,0	13616011700	7,0	13626010700	3/8"	13626040953
4,5	13616010450	17,5	13616011750	8,0	13626010800	7/16"	13626041111
5,0	13616010500	18,0	13616011800	9,0	13626010900	1/2"	13626041270
5,5	13616010550	18,5	13616011850	10,0	13626011000	9/16"	13626041429
6,0	13616010600	19,0	13616011900	11,0	13626011100	5/8"	13626041588
6,5	13616010650	19,5	13616011950	12,0	13626011200	11/16"	13626041746
7,0	13616010700	20,0	13616012000	13,0	13626011300	3/4"	13626041905
7,5	13616010750			14,0	13626011400		
8,0	13616010800			15,0	13626011500		
8,5	13616010850	Ø pollice	Cod. art.	16,0	13626011600		
9,0	13616010900	1/8"	13616040318	17,0	13626011700		
9,5	13616010950	3/16"	13616040476	18,0	13626011800		
10,0	13616011000	1/4"	13616040635	19,0	13626011900		
10,5	13616011050	5/16"	13616040794	20,0	13626012000		
11,0	13616011100	3/8"	13616040953				
11,5	13616011150	7/16"	13616041111				
12,0	13616011200	1/2"	13616041270				
12,5	13616011250	9/16"	13616041429				
13,0	13616011300	5/8"	13616041588				
13,5	13616011350	11/16"	13616041746				
14,0	13616011400	3/4"	13616041905				
14,5	13616011450						

GERC32-HP Set

Contenuto set (Ø mm)	Cod. art.	Set
4,0•6,0•8,0•10,0•12,0•14,0•16,0•20,0	13616160080	8pezzi

GERC32-HPD Set

Contenuto set (Ø mm)	Cod. art.	Set
4,0•6,0•8,0•10,0•12,0•14,0•16,0•20,0	13626160080	8pezzi


ACCESSORI PER MANDRINI

DPC32 | UPC32 | FPC32 | AFC32(SOLO HPDD)

GERC32


2-20 mm

Pinze di serraggio di alta precisione 2 µm




GERC32-HPDD Ø 4-20 mm

A tenuta refrigerante e fori




Pinze con tassello 3 µm



GERC32-W Ø 12-20 mm

Protezione contro lo sfilamento



▣ = 2 µm
 D = 33
 L = 40

▣ = 3 µm
 D = 33
 L = 40

Ø mm	Cod. art.	Ø pollice	Cod. art.	Ø mm	Cod. art.	Ø pollice	Cod. art.
4,0	13636010400	1/8"	13636040318	12,0	13916011200	1/2"	13916041270
6,0	13636010600	3/16"	13636040476	16,0	13916011600	5/8"	13916041588
8,0	13636010800	1/4"	13636040635	20,0	13916012000*		
10,0	13636011000	5/16"	13636040794	*Questa versione differisce dalla figura			
12,0	13636011200	3/8"	13636040953				
14,0	13636011400	7/16"	13636041111				
16,0	13636011600	1/2"	13636041270				
18,0	13636011800	9/16"	13636041429				
20,0	13636012000	5/8"	13636041588				
		11/16"	13636041746				
		3/4"	13636041905				


GERC32

2-20 mm

ACCESSORI PER MANDRINI



DPC32 | UPC32 | FPC32

Pinze di serraggio di precisione 5 µm




GERC32-B Ø 2-20 mm

Standard



GERC32-BD Ø 3-20 mm

A tenuta refrigerante



☐ =
D =
L =

5 µm
33
40

☐ =
D =
L =

5 µm
33
40

Ø mm	Cod. art.	Ø mm	Cod. art.	Ø mm	Cod. art.	Ø pollice	Cod. art.
2,0	13716010200	15,0	13716011500	3,0	13726010300	1/8"	13726040318
2,5	13716010250	15,5	13716011550	4,0	13726010400	3/16"	13726040476
3,0	13716010300	16,0	13716011600	5,0	13726010500	1/4"	13726040635
3,5	13716010350	16,5	13716011650	6,0	13726010600	5/16"	13726040794
4,0	13716010400	17,0	13716011700	7,0	13726010700	3/8"	13726040953
4,5	13716010450	17,5	13716011750	8,0	13726010800	7/16"	13726041111
5,0	13716010500	18,0	13716011800	9,0	13726010900	1/2"	13726041270
5,5	13716010550	18,5	13716011850	10,0	13726011000	9/16"	13726041429
6,0	13716010600	19,0	13716011900	11,0	13726011100	5/8"	13726041588
6,5	13716010650	19,5	13716011950	12,0	13726011200	3/4"	13726041905
7,0	13716010700	20,0	13716012000	13,0	13726011300		
7,5	13716010750			14,0	13726011400		
8,0	13716010800			15,0	13726011500		
8,5	13716010850	Ø pollice	Cod. art.	16,0	13726011600		
9,0	13716010900	1/8"	13716040318	17,0	13726011700		
9,5	13716010950	3/16"	13716040476	18,0	13726011800		
10,0	13716011000	1/4"	13716040635	19,0	13726011900		
10,5	13716011050	5/16"	13716040794	20,0	13726012000		
11,0	13716011100	3/8"	13716040953				
11,5	13716011150	7/16"	13716041111				
12,0	13716011200	1/2"	13716041270				
12,5	13716011250	9/16"	13716041429				
13,0	13716011300	5/8"	13716041588				
13,5	13716011350	11/16"	13716041746				
14,0	13716011400	3/4"	13716041905				
14,5	13716011450	13/16"	13716042064				

GERC32-B Set

Contenuto set (Ø mm)	Cod. art.	Set
3,0-20,0/ 1,0 in aumento	1371616	18pezzi


GERC32-BD Set

Contenuto set (Ø mm)	Cod. art.	Set
4,0•6,0•8,0•10,0•12,0•14,0•16,0•20,0	13726160080	8pezzi

ACCESSORI PER MANDRINI



GERC32
2-20 mm

Pinze di serraggio portamaschi 10 µm




GERC32-**GBD** Ø 4-20 mm

A tenuta refrigerante



GERC32-**GBDD** Ø 4,5-20 mm

A tenuta refrigerante e fori




☒ = D = L =	10 μm 33 40		☒ = D = L =	10 μm 33 40	
Ø/□ mm	L2	Cod. art.	Ø/□ mm	L2	Cod. art.
4,0/3,2	18	13826010400	4,5/3,55	18	13836010450
4,5/3,55	18	13826010450	6,0/5,0	18	13836010600
5,0/4,0	18	13826010500	7,0/5,6	18	13836010700
5,5/4,5	18	13826010550	8,0/6,3	22	13836010800
6,0/5,0	18	13826010600	9,0/7,1	22	13836010900
6,3/5,0	18	13826010630	10,0/8,0	25	13836011000
7,0/5,6	18	13826010700	11,0/9,0	25	13836011100
7,1/5,6	18	13826010710	12,0/9,0	25	13836011200
8,0/6,3	22	13826010800	14,0/11,2	25	13836011400
9,0/7,1	22	13826010900	16,0/12,5	25	13836011600
10,0/8,0	25	13826011000	18,0/14,5	30	13836011800
11,0/9,0	25	13826011100	20,0/16,0	30	13836012000
11,2/9,0	25	13826011120			
12,0/9,0	25	13826011200			
12,5/10,0	25	13826011250			
14,0/11,2	25	13826011400			
16,0/12,5	25	13826011600			
18,0/14,5	30	13826011800			
20,0/16,0	30	13826012000			

GERC40 3-26 mm



ACCESSORI PER MANDRINI DPC40 | UPC40 | FPC40

Pinze di serraggio di alta precisione 2 µm




GERC40-HP Ø 3-26 mm

Standard



GERC40-HPD Ø 6-25 mm

A tenuta refrigerante



□ =
D =
L =

2 µm
41
46

□ =
D =
L =

2 µm
41
46


Ø mm	Cod. art.	Ø mm	Cod. art.	Ø mm	Cod. art.	Ø pollice	Cod. art.
3,0	13617010300	19,0	13617011900	6,0	13627010600	1/4"	13627040635
3,5	13617010350	19,5	13617011950	8,0	13627010800	3/8"	13627040953
4,0	13617010400	20,0	13617012000	10,0	13627011000	1/2"	13627041270
4,5	13617010450	20,5	13617012050	12,0	13627011200	5/8"	13627041588
5,0	13617010500	21,0	13617012100	14,0	13627011400	3/4"	13627041905
5,5	13617010550	21,5	13617012150	16,0	13627011600	1"	13627042540
6,0	13617010600	22,0	13617012200	18,0	13627011800		
6,5	13617010650	22,5	13617012250	20,0	13627012000		
7,0	13617010700	23,0	13617012300	22,0	13627012200		
7,5	13617010750	23,5	13617012350	25,0	13627012500		
8,0	13617010800	24,0	13617012400				
8,5	13617010850	24,5	13617012450				
9,0	13617010900	25,0	13617012500				
9,5	13617010950	25,5	13617012550				
10,0	13617011000	26,0	13617012600				
10,5	13617011050						
11,0	13617011100						
11,5	13617011150	Ø pollice	Cod. art.				
12,0	13617011200	1/8"	13617040318				
12,5	13617011250	3/16"	13617040476				
13,0	13617011300	1/4"	13617040635				
13,5	13617011350	5/16"	13617040794				
14,0	13617011400	3/8"	13617040953				
14,5	13617011450	7/16"	13617041111				
15,0	13617011500	1/2"	13617041270				
15,5	13617011550	9/16"	13617041429				
16,0	13617011600	5/8"	13617041588				
16,5	13617011650	11/16"	13617041746				
17,0	13617011700	3/4"	13617041905				
17,5	13617011750	13/16"	13617042064				
18,0	13617011800	7/8"	13617042223				
18,5	13617011850	1"	13617042540				

ACCESSORI PER MANDRINI

DPC40 | UPC40 | FPC40


GERC40
3-26 mm

Pinze di serraggio di alta precisione 2 µm




GERC40-HPDD Ø 6-25 mm

A tenuta refrigerante e fori




Pinze con tassello 3 µm



GERC40-W Ø 16-25 mm

Protezione contro lo sfilamento



□ =
D =
L =

2 µm
41
46

□ =
D =
L =

3 µm
41
46

Ø mm	Cod. art.	Ø pollice	Cod. art.	Ø mm	Cod. art.	Ø pollice	Cod. art.
6,0	13637010600	1/4"	13637040635	16,0	13917011600	5/8"	13917041588
8,0	13637010800	3/8"	13637040953	20,0	13917012000	3/4"	13917041905
10,0	13637011000	1/2"	13637041270	25,0	13917012500*		
12,0	13637011200	5/8"	13637041588	*Questa versione differisce dalla figura			
14,0	13637011400	3/4"	13637041905				
16,0	13637011600	1"	13637042540				
18,0	13637011800						
20,0	13637012000						
25,0	13637012500						


GERC40

3-26 mm

ACCESSORI PER MANDRINI


DPC40 | UPC40 | FPC40

Pinze di serraggio di precisione 5 µm





GERC40-B Ø 3-26 mm

Standard



GERC40-BD Ø 6-25 mm

A tenuta refrigerante



□ =
D =
L =

5 µm
41
46

□ =
D =
L =

5 µm
41
46

Ø mm

Cod. art.

Ø mm

Cod. art.

Ø mm

Cod. art.

3,0

13717010300

19,0

13717011900

6,0

13727010600

3,5

13717010350

19,5

13717011950

8,0

13727010800

4,0

13717010400

20,0

13717012000

10,0

13727011000

4,5

13717010450

20,5

13717012050

12,0

13727011200

5,0

13717010500

21,0

13717012100

14,0

13727011400

5,5

13717010550

21,5

13717012150

16,0

13727011600

6,0

13717010600

22,0

13717012200

18,0

13727011800

6,5

13717010650

22,5

13717012250

20,0

13727012000

7,0

13717010700

23,0

13717012300

22,0

13727012200

7,5

13717010750

23,5

13717012350

25,0

13727012500

8,0

13717010800

24,0

13717012400

8,5

13717010850

24,5

13717012450

9,0

13717010900

25,0

13717012500

9,5

13717010950

25,5

13717012550

10,0

13717011000

26,0

13717012600

10,5

13717011050

11,0

13717011100

11,5

13717011150

Ø pollice

Cod. art.

12,0

13717011200

1/8"

13717040318

12,5

13717011250

3/16"

13717040476

13,0

13717011300

1/4"

13717040635

13,5

13717011350

5/16"

13717040794

14,0

13717011400

3/8"

13717040953

14,5

13717011450

7/16"

13717041111

15,0

13717011500

1/2"

13717041270

15,5

13717011550

9/16"

13717041429

16,0

13717011600

5/8"

13717041588

16,5

13717011650

11/16"

13717041746

17,0

13717011700

3/4"

13717041905

17,5

13717011750

13/16"

13717042064

18,0

13717011800

7/8"

13717042223

18,5

13717011850

1"

13717042540

GERC40-B Set

Contenuto set (Ø mm)

Cod. art.

Set

4,0-26,0/ 1,0 in aumento

1371716


23pezzi

ACCESSORI PER MANDRINI

DPC40 | UPC40 | FPC40


GERC40
3-26 mm

Pinze di serraggio portamaschi 10 µm





GERC40-GBD Ø 6-25 mm

A tenuta refrigerante



GERC40-GBDD Ø 6-25 mm

A tenuta refrigerante e fori



☐ =	10 µm		☐ =	10 µm	
D =	41		D =	41	
L =	46		L =	46	
Ø/☐ mm	L2	Cod. art.	Ø/☐ mm	L2	Cod. art.
6,0/5,0	18	13827010600	6,0/5,0	18	13837010600
6,3/5,0	18	13827010630	7,0/5,6	18	13837010700
7,0/5,6	18	13827010700	8,0/6,3	22	13837010800
7,1/5,6	18	13827010710	9,0/7,1	22	13837010900
8,0/6,3	22	13827010800	10,0/8,0	25	13837011000
9,0/7,1	22	13827010900	11,0/9,0	25	13837011100
10,0/8,0	25	13827011000	12,0/9,0	25	13837011200
11,0/9,0	25	13827011100	14,0/11,2	25	13837011400
11,2/9,0	25	13827011120	16,0/12,5	25	13837011600
12,0/9,0	25	13827011200	18,0/14,5	33	13837011800
12,5/10,0	25	13827011250	20,0/16,0	33	13837012000
14,0/11,2	25	13827011400	22,0/18,0	33	13837012200
16,0/12,5	25	13827011600	25,0/20,0	33	13837012500
18,0/14,5	33	13827011800			
20,0/16,0	33	13827012000			
22,0/18,0	33	13827012200			
25,0/20,0	33	13827012500			